



Laundry  
The New Collection

Ed. 03/09



For more information contact Ariston after sale service:

**1-877-356-0766**

or write to [service@aristonamerica.com](mailto:service@aristonamerica.com)

website: [www.aristonappliances.com](http://www.aristonappliances.com)



Ariston's philosophy is simple: to become part of your everyday life, taking care of you and offering you home appliances unique in style that add a touch of design to your home.

Ariston appliances are designed to provide you quality and performance; quiet operation, efficiency and performance are at the pinnacle of this line.

Now you can work, spend time with the family or even relax while we do the work for you, leaving you with all the time you need to savor your most precious moments.

Welcome to Ariston.

Our ideas.  
Your home.

Index	
Distinguishing features	4
Ariston washers	8
Ariston combination washer-dryers	10
Ariston dryers	11
Technical Charts	12





### "Efficiency"

Means being able to provide your family with unbelievably clean clothes while being mindful of future generations, our precious natural resources and saving you money, without sacrificing performance. The horizontal axis wash system uses dramatically less water and energy than conventional laundry pairs, combined with high spin speeds, extracting water is superior to that of a conventional machine. In the combination washer-dryer, high spin speeds, in concert with the moisture sensing controls, prevents damage to your clothes caused by high heat and over-drying.



### "Super Silent"

Helps your family spend time together without being disturbed. No need to delay your washing cycle, use your washing machine whenever you want, even while you sleep. Freedom that satisfies your needs. Thanks to special tri-phase motor, this washing machine is designed to achieve outstanding performance without any noisy mechanical interference. Ariston's Super Silent washing machines give new meaning to "forgetting about your wash."



### Sensor System - Controlled results

Thanks to the sensor system, your washing machine is constantly monitoring your wash in order to ensure best results. The dryer is equipped with state-of-the-art mechanisms that sense moisture with strips that constantly monitor the moisture level of your clothes. Just "set and forget" and your clothes will come out at the dryness level you desire.

### Detergent loss prevention

100% detergent cleaning power is captured thanks to the pressure system which keeps the active soap in the washer and not going down the drain. So it is nice to know your washing machine is not wasting a drop of detergent.



### No more pain, no more stains

Even the most stubborn stains disappear without any pre-wash, thanks to the special bleach compartment. Bleach is integrated into the most efficient program, increasing the additive's cleaning power.



### Ergonomic Design

The new innovative product range have new rotary action detergent dispensers with clear commands and buttons that are user-friendly and designed for comfortable use. These intuitive settings and controls guarantee comfortable interaction.

## Washing machines and combination washer-dryers programs:

### Quick program

Ariston offers a wide variety of quick programs. Programs developed for washing machines and combination washer-dryers are: Quick Wash, Quick Wash&Dry, Mixed Load 30min, Lightly Soiled 15min.



### Quick wash

Quick Wash is used to wash lightly soiled small loads in just one hour ensuring excellent performances and results.



### Quick wash&Dry

the Quick Wash& Dry is a dedicated program for combination of washer-dryers, it is an extra fast programme developed to wash and dry small loads in only 60 minutes.



### Mixed Load 30min

The Mixed Load 30min lets you freshen up garments of different fabrics in no time at all - 30 minutes for a half load.



### Lightly Soiled 15min

The Lightly Soiled 15min is designed to wash a minimum load in just 15min. In order to optimize performances it is recommended the use of liquid detergent.



### Sanitizing Cycle

Cleaning and sanitizing without additives is a nice option found in the Ariston product. Its internal heating element boosts the water temperature to 170°F for optimal sanitizing and whitening.



### Bright White

This cycle provides extraordinary washing performance. Thanks to the addition of bleach white textiles become more and more white and bright.



### Infant Wear

The new Infant Wear cycle has been specially designed to tackle the toughest stains typically created by babies and toddlers. Things like baby food, fruit, yoghurt, mud and grease, are cleaned visibly better when compared to using a standard cotton wash cycle.



### Active Wear

Active Wear is designed to wash most common sport fabrics such as cotton, polyester, nylon, and more. This program is developed to remove any perspiration and stains caused by your active lifestyle.



### Jeans

A specific cycle for your most loved garments. A cycle developed to wash at 95°F maintaining color, fit and structure of every type of denim. All this while ensuring a perfect cleaning result thanks to a washing algorithm that is particularly gentle to protect the color of the textile.



### Silk - As soft as silk

Thanks to the Silk program, machine washing a silk garment will become a completely normal event.



### "Woolmark Platinum Care"

Ariston is proud to have obtained "Woolmark Platinum Care". This is the highest certification awarded by "The Woolmark Company" to the brand with the highest standards of washing quality. It certifies that you can now wash those precious garments in a washing machine and not by hand. From now on, take comfort that your new Ariston washing machine and combination washer-dryer, have a "Hand Wash Only" setting for your favorite garments — this means you can confidently put your best garments in your machine and trust you will achieve truly outstanding results.



## Dryer programs:



### Jeans

The jeans special dryer program is specially developed to dry jeans garments in order to achieve excellent results protecting the colors and the textile.



### Active Wear

Combining with the active wear wash program, this drying cycle allows you to properly dry cotton, polyester, nylon and specific fabrics used for physical activities.



### Delicates Low Temp

This program is suitable to dry delicate fabrics and garments such as silk and lingerie. The low temperature used during the program avoids damaging your favorite garments.



### Air Fluff

Air Fluff is a 10 minute cycle for your dryer that helps refresh clothes that have been in your closet for a long time, virtually eliminating any bad smells or creases.



### "Woolmark Silver Care"

Avoiding to felt wool garments is today possible not only thanks to the washer woolmark platinum care program but also thanks to the combined wool drying cycle. This program allows to dry wool without ruin it but guaranting softness.



## Options:



### "Super Wash"

The claim that your wash will be truly superior with Ariston's new washing machine is more than just a promise. Ariston's new washing machine features an electronic control module which is able to process the type of wash and program the combination of water, temperature and spin speed with a high level of precision. The right balance between load, water, temperature and spin speed ensure you achieve outstanding performances.



### Extra Rinse - Detergent free too

Traces of detergent on your clothes may ruin your garments or irritate sensitive skin. The special Extra Rinse option lets you add an additional rinse to the selected program in order to eliminate any trace of detergent.



### Reduced wrinkles - Less time spent ironing, more free time

Ariston's new washing machine's Reduced Wrinkles option provides the ability to eliminate wrinkling caused when clothes are left in the drum. Just press the Reduced Wrinkles option button and the clothes will be suspended in water until you press it again to spin out the water. This means no wrinkles. Now it is a pleasure to do your laundry while ironing will be quicker and easier too.



### Delay timer - you choose when to wash

The Delay Timer lets you program the wash start time for any time of the day, even if you are not at home, up to 24 hours in advance. Drying is also simplified with a 12 hour delay to help you work while you rest



### Pre Crease Care and Post Crease dryer option

In all Ariston drying programs the special final Post Crease option, periodically tumbles the clothes until you come back, virtually eliminating any chance of wrinkles. Pre Crease Care can be combined with the delay dry on the dryer, eliminating any wrinkling of clothes prior to the start of the cycle.



## ARWF 149 S (NA)



1400 RPM spin speed  
Electronic digit display  
Multiple spin speed adjustments  
Multiple Temperature settings  
Energy Star certified  
16 wash cycles  
Super Silent Triphase Motor  
Woolmark Platinum Care  
Super Wash option  
Extra Rinse option  
Reduced Wrinkles option  
Delay timer option (up to 24 hs)  
Quick wash  
Mixed Load 30 min  
Sanitazing Cycle  
Bright White  
Active Wear  
Jeans  
Silk/curtains program

Washing nominal load 15 lb

Dimensions (HxWxD): 33.5"x23.4"x22.8"

## ARWL 129 S (NA)



1200 RPM spin speed  
Led interface  
Multiple spin speed adjustments  
Multiple Temperature settings  
Energy Star certified  
16 wash cycles  
Super Silent Triphase Motor  
Woolmark Platinum Care  
Super Wash option  
Extra Rinse option  
Reduced Wrinkles option  
Delay timer option (3-6-9-12 hs)  
Quick wash  
Mixed Load 30 min  
Infant Wear  
Bright White  
Active Wear  
Jeans  
Silk/curtains program

Washing nominal load 15 lb

Dimensions (HxWxD): 33.5"x23.4"x22.8"

## ARWF 149 (NA)



1400 RPM spin speed  
Electronic digit display  
Multiple spin speed adjustments  
Multiple Temperature settings  
Energy Star certified  
16 wash cycles  
Super Silent Triphase Motor  
Woolmark Platinum Care  
Super Wash option  
Extra Rinse option  
Reduced Wrinkles option  
Delay timer option (up to 24 hs)  
Quick wash  
Mixed Load 30 min  
Sanitazing Cycle  
Bright White  
Active Wear  
Jeans  
Silk/curtains program

Washing nominal load 15 lb

Dimensions (HxWxD): 33.5"x23.4"x22.8"

## ARWL 129 (NA)



1200 RPM spin speed  
Led interface  
Multiple spin speed adjustments  
Multiple Temperature settings  
Energy Star certified  
16 wash cycles  
Super Silent Triphase Motor  
Woolmark Platinum Care  
Super Wash option  
Extra Rinse option  
Reduced Wrinkles option  
Delay timer option (3-6-9-12 hs)  
Quick wash  
Mixed Load 30 min  
Infant Wear  
Bright White  
Active Wear  
Jeans  
Silk/curtains program

Washing nominal load 15 lb

Dimensions (HxWxD): 33.5"x23.4"x22.8"

### ARWDF 129 S (NA)



1200 RPM spin speed  
 Electronic digit display  
 Spin speed variation  
 Multiple Temperature settings  
 Energy Star certified  
 13 washing + 3 drying cycles  
 Super Silent Triphase Motor  
 Woolmark Platinum Care  
 Super Wash option  
 Extra Rinse option  
 Spin speed  
 Delay timer option (up to 24 hs)  
 Quick wash&Dry  
 Mixed Load 30 min  
 Bright White  
 Active Wear  
 Lightly Soiled 15 min  
 Delicate

Washing nominal load 15 lb  
 Drying nominal load 12 lb

Dimensions (HxWxD): 33.5"x23.4"x22.8"

### ARWDF 129 (NA)



1200 RPM spin speed  
 Electronic digit display  
 Spin speed variation  
 Multiple Temperature settings  
 Energy Star certified  
 13 washing + 3 drying cycles  
 Super Silent Triphase Motor  
 Woolmark Platinum Care  
 Super Wash option  
 Extra Rinse option  
 Spin speed  
 Delay timer option (up to 24 hs)  
 Quick wash&Dry  
 Mixed Load 30 min  
 Bright White  
 Active Wear  
 Lightly Soiled 15 min  
 Delicate

Washing nominal load 15 lb  
 Drying nominal load 12 lb

Dimensions (HxWxD): 33.5"x23.4"x22.8"

### TVF 63 X S (NA)



Vented - Electronic digit controls  
 Bidirectional Rotation  
 Bull-eye see-through door  
 Removable lint filter  
 Stacking Kit is not included (available as accessory)  
 End of cycle noise signal  
 Sensor Dry Controls  
 Timed Dry  
 Jeans  
 Pre Crease Care and Post Crease Care  
 Air Fluff  
 Delay Timer (up to 18 hs)  
 Pre and Post Creasecare  
 Wool Program

Stainless Steel Drum

Dimensions (HxWxD): 33.5"x23.4"x21.7"

### TVF 63 X (NA)



Vented - Electronic digit controls  
 Bidirectional Rotation  
 Bull-eye see-through door  
 Removable lint filter  
 Stacking Kit is not included (available as accessory)  
 End of cycle noise signal  
 Sensor Dry Controls  
 Timed Dry  
 Jeans  
 Pre Crease Care and Post Crease Care  
 Air Fluff  
 Delay Timer (up to 18 hs)  
 Pre and Post Creasecare  
 Wool Program

Stainless Steel Drum

Dimensions (HxWxD): 33.5"x23.4"x21.7"

## Washers

Type	Washers	Washers	Washers	Washers
<b>Model code</b>	63066	63069	63067	63075
<b>Description</b>	ARWF 149 S (NA)	ARWF 149 (NA)	ARWL 129 S (NA)	ARWL 129 (NA)
<b>Color</b>	Silver	White	Silver	White
Stackable	■	■	■	■
Energy Star qualified	■	■	■	■
Automatically load balancing system	■	■	■	■
UL listed	■	■	■	■
Complies with ADA Height Accessibility Guidelines	■	■	■	■
Washing nominal load (lb)	15	15	15	15
Drum Volum cu.ft.	1.82	1.82	1.82	1.82
Automatic consumption regulation	■	■	■	■
Control panel	Electronic/Digit & knobs	Electronic/Digit & knobs	Electronic/Lead & knobs	Electronic/Lead & knobs
Easy to set control panel design	■	■	■	■
Spin Speed Settings	1400	1400	1200	1200
Options	Extra Rinse, Super Wash, Reduced wrinkles, Delay Timer	Extra Rinse, Super Wash, Reduced wrinkles, Delay Timer	Extra Rinse, Super Wash, Reduced wrinkles, Delay Timer	Extra Rinse, Super Wash, Reduced wrinkles, Delay Timer
Supersilent	■	■	■	■
Sanitizing	■	■	■	■
Delay timer (hs)	up to 24	up to 24	3-6-9-12	3-6-9-12
Time left before cycle start display	On display	On display	■	■
Time left to the cycle end display	On display	On display	■	■
Antifoam	■	■	■	■
Bleach dispenser	■	■	■	■
Fabric softener dispenser	■	■	■	■
Variable load	■	■	■	■
No. of cycles	16	16	16	16
Cycles	Cottons Regular, Cottons Colored, Permanent Press, Quick Wash, Mixed Load 30min, Sanitizing, Bright White, Jeans, Active Wear, Lightly Soiled 15 min, Delicate, Silk/Curtains, Wool, Rinse, Spin, Drain	Cottons Regular, Cottons Colored, Permanent Press, Quick Wash, Mixed Load 30min, Sanitizing, Bright White, Jeans, Active Wear, Lightly Soiled 15 min, Delicate, Silk/Curtains, Wool, Rinse, Spin, Drain	Cottons Regular, Cottons Colored, Permanent Press, Quick Wash, Mixed Load 30min, Bright White, Infant Wear, Jeans, Active Wear, Lightly Soiled 15 min, Delicate, Silk/Curtains, Wool, Rinse, Spin, Drain	Cottons Regular, Cottons Colored, Permanent Press, Quick Wash, Mixed Load 30min, Bright White, Infant Wear, Jeans, Active Wear, Lightly Soiled 15 min, Delicate, Silk/Curtains, Wool, Rinse, Spin, Drain
<b>Technical Features</b>				
Shock absorbers	■	■	■	■
Leveling legs	■	■	■	■
Parthole dimensions (inch)	11.8	11.8	11.8	11.8
Door opening	180°	180°	180°	180°
Heating elements electronically controlled	■	■	■	■
Motor	Three-Phase	Three-Phase	Three-Phase	Three-Phase
Tub	Poliplex	Poliplex	Poliplex	Poliplex
Overflow security	Antioverflow	Antioverflow	Antioverflow	Antioverflow
Safety door lock with warning light	■	■	■	■
Program Interrupt, add an item	■	■	■	■
Child safety lock with warning light	■	■	■	■
Supply Frequency	60	60	60	60
Supply Voltage	120	120	120	120
Absorbed Current (A)	13	13	13	13
Absorbed Power (W)	1350	1350	1350	1350
Cable Length (m)	1.7	1.7	1.7	1.7
Plug Type	USA	USA	USA	USA
<b>Dimensions (HxWxD)</b>	(inch.) (33.5x23.4x22.8)	(33.5x23.4x22.8)	(33.5x23.4x22.8)	(33.5x23.4x22.8)

## Combination washer-dryers

Type	Washer-dryers	Washer-dryers
<b>Model code</b>	63064	63065
<b>Description</b>	ARWDF 129 S (NA)	ARWDF 129 (NA)
<b>Color</b>	Silver	White
Energy Star qualified	■	■
Automatically load balancing system	■	■
UL listed	■	■
Complies with ADA Height Accessibility Guidelines	■	■
Washing nominal load (lb)	15	15
Drying nominal load (lb)	12	12
Drum Volum cu.ft.	1.82	1.82
Automatic consumption regulation	■	■
Control panel	Electronic/Digit & knobs	Electronic/Digit & knobs
Easy to set control panel design	■	■
Spin Speed Settings	1200	1200
Options	Extra Rinse, Super Wash, Spin speed, Delay Timer	Extra Rinse, Super Wash, Spin speed, Delay Timer
Supersilent	■	■
Delay timer (hs)	up to 24	up to 24
Time left before cycle start display	■	■
Time left to the cycle end display	■	■
Antifoam	■	■
Bleach dispenser	■	■
Fabric softener dispenser	■	■
Automatic variable load	■	■
No. of cycles	16	16
Cycles	Cottons Regular, Cottons Colored, Permanent Press, Quick Wash&Dry, Mixed Load, Bright White, Active Wear, Lightly Soiled 15 min, Delicate, Wool, Cotton Dry, Permanent Press Dry, Wool Dry, Rinse, Spin, Drain	Cottons Regular, Cottons Colored, Permanent Press, Quick Wash&Dry, Mixed Load, Bright White, Active Wear, Lightly Soiled 15 min, Delicate, Wool, Cotton Dry, Permanent Press Dry, Wool Dry, Rinse, Spin, Drain
<b>Technical Features</b>		
Shock absorbers	■	■
Leveling legs	■	■
Parthole dimensions (inch)	11.8	11.8
Door opening	180°	180°
Motor	Three-Phase	Three-Phase
Tub	Poliplex	Poliplex
Overflow security	Overflow	Overflow
Safety door lock with warning light	■	■
Program Interrupt, add an item	■	■
Child safety lock with warning light	■	■
Supply Frequency	60	60
Supply Voltage	120	120
Absorbed Current (A)	13	13
Absorbed Power (W)	1350	1350
Cable Length (m)	1.5	1.5
Plug Type	USA	USA
<b>Dimensions (HxWxD)</b>	(inch.) (33.5x23.4x22.8)	(33.5x23.4x22.8)

## Dryers

Type	Dryers	Dryers
Model code	63078	63077
Description	TVF 63 X S (NA)	TVF 63 X (NA)
Color	Silver	White
Stackable	▪	▪
Vented	▪	▪
Drum Volum cu.ft.	3.53	3.53
Control panel	Electronic/Digit & knobs	Electronic/Digit & knobs
Easy to set control panel design	▪	▪
UL listed	▪	▪
Complies Whit ADA Height Accessibility Guidelines	▪	▪
Options	Pre Crease Care, Post Crease Care, High Heat, Delay	Pre Crease Care, Post Crease Care, High Heat, Delay
Delay timer (hs)	up to 18	up to 18
Time left before cycle start display	▪	▪
Time left to the cycle end display	▪	▪
End of cycle acoustic signal	▪	▪
No. Drying programmes	16	16
Cycles	Cottons Extra Dry, Light Dry, Iron Dry, Permanent Press Extra Dry, Light Dry, Iron Dry, 160min, 120min, 90min, 60min, 30min, Delicates low temp, Wool, Jeans, Air Fluff, Active Wear	Cottons Extra Dry, Light Dry, Iron Dry, Permanent Press Extra Dry, Light Dry, Iron Dry, 160min, 120min, 90min, 60min, 30min, Delicates low temp, Wool, Jeans, Air Fluff, Active Wear
Alternate bi-directional rotation	▪	▪
Pre Crease Care and Post Crease Care	▪	▪
<b>Technical Features</b>		
Door opening	Right	Right
Drum	Stainless Steel	Stainless Steel
Porthole dimensions (inch)	14.6	14.6
Removable filter	▪	▪
Sensor Dry	3	3
Leveling legs	▪	▪
Approvals	UL	UL
Child safety lock with warning light	▪	▪
Supply Frequency	60	60
Supply Voltage	208/240	208/240
Absorbed Current (A)	10/11	10/11
Absorbed Power (W)	2000-2600	2000-2600
Cable Length (m)	1.8	1.8
Plug Type	USA	USA
<b>Dimensions (WxDxH)</b>	(inch.) (33.5x23.4x21.7)	(33.5x23.4x21.7)

